ELSEVIER

European Journal of Pharmacology 273 (1995) 315–317

ejp

Author index

Abdul-Ghaffar, T., see Canfield, P. (273) 1
Abe, Y., see He, H. (273) 209
Agabio, R., see Colombo, G. (273) 235
Akarasereenont, P., Mitchell, J.A., Bakhle, Y.S., Thiemermann, C. and Vane, J.R.
Comparison of the induction of cyclooxygenase and nitric oxide synthase by endotoxin in endothelial cells and macrophages (273) 121
Aki, Y., see He, H. (273) 209
Amobi, N. and Smith, I.C.H.
The human vas deferens: correlation of response pattern to noradrenaline and histological structure (273) 25
Aoto, N., see Sakitama, K. (273) 47

Bakhle, Y.S., see Akarasereenont, P. (273) 121
Ballati, L., see Perretti, F. (273) 129
Baran, H., Gramer, M. and Löscher, W.
Alterations in plasma and brain amino acids after administration of the glycine/NMDA receptor partial agonist, D-cycloserine, to mice and rats (273) 197
Bäumner, D. and Nawrath, H.
Effects of inhibitors of cGMP-dependent protein kinase in atrial heart and aortic smooth muscle from rats (273) 295
Beani, L., see Tanganelli, S. (273) 63
Bengen, J., see Galle, J. (273) 311
Bessho, H., see He, H. (273) 209
Black, P.N., see Young, P.G. (273) 137
Blommaert, A., see Noble, F. (273) 145
Boeckxstaens, G.E., see Michielsen, P.P. (273) 167
Bordi, F. and Ugolini, A.
Antagonists of the metabotropic glutamate receptor do not prevent induction of long-term potentiation in the dentate gyrus of rats (273) 291
Bowery, B.J., see Seabrook, G.R. (273) 113
Braida, D., see Sala, M. (273) 35
Bruhwyler, J., see Liégeois, J.-F. (273) R1
Brzozowski, T., see Konturek, S.J. (273) 57

Cai, S.X., see Lutfy, K. (273) 187
Canfield, P., Abdul-Ghaffar, T. and English, S.
Stimulation of bicarbonate secretion by α- and β-adrenoceptor agonists in rat caecum in vitro (273) 1
Cannizzaro, C., Cannizzaro, E., Gagliano, M., Mineo, A., Sabatino, M. and Cannizzaro, G.
Effects of desipramine and alprazolam on forced swimming behaviour of adult rats exposed to prenatal diazepam (273) 239
Cannizzaro, E., see Cannizzaro, C. (273) 239
Cannizzaro, G., see Cannizzaro, C. (273) 239
Carlsson, A., see Kujacic, M. (273) 247
Chang, L.-C., see Wang, J.-P. (273) 73
Chapman, A.G., see Smith, S.E. (273) 259
Cohen, M.L., see Killam, A.L. (273) 7
Colombo, G., Agabio, R., Lobina, C., Reali, R., Fadda, F. and Gessa, G.L.
Cross-tolerance to ethanol and γ-hydroxybutyric acid (273) 235
Connor, J.R., Manning, P.T., Settle, S.L., Moore, W.M., Jerome, G.M., Webber, R.K., Tjoeng, F.S. and Currie, M.G.
Suppression of adjuvant-induced arthritis by selective inhibition of inducible nitric oxide synthase (273) 15
Coy, D.H., see Lach, E. (273) 313
Currie, M.G., see Connor, J.R. (273) 15

Damas, J., see Liégeois, J.-F. (273) R1
Da Prada, M., see Napolitano, A. (273) 215
Delarge, J., see Liégeois, J.-F. (273) R1
Drozdowicz, D., see Konturek, S.J. (273) 57
Dumont, P., see Lach, E. (273) 313
Dvorkin, B., see Makman, M.H. (273) R5

Ebenezer, I.S.
Intraperitoneal administration of baclofen increases consumption of both solid and liquid diets in rats (273) 183
English, S., see Canfield, P. (273) 1
Erdő, S.L., see Molnár, P. (273) 303
Evangelista, S., see Perretti, F. (273) 129

Fadayel, G.M., see Schmidt, C.J. (273) 273
Fadda, F., see Colombo, G. (273) 235
Ferraro, L., see Tanganelli, S. (273) 63
Fournié-Zaluski, M.-C., see Noble, F. (273) 145
Fujii, E., Irie, K., Uchida, Y., Ohba, K. and Muraki, T.
Role of eicosanoids but not nitric oxide in the platelet-activating factor-induced increase in vascular permeability in mouse skin (273) 267
Fujisawa, Y., see He, H. (273) 209
Furuhama, K., see Tabuchi, Y. (273) 281
Furuse, M., see Mabayo, R.T. (273) 161
Fuxe, K., see Tanganelli, S. (273) 63

Gagliano, M., see Cannizzaro, C. (273) 239
Galle, J., Bengen, J., Schollmeyer, P. and Wanner, C.
Erratum to 'Oxidized lipoprotein(a) inhibits endothelium-dependent dilation: prevention by high density lipoprotein' [Eur. J. Pharmacol. 265 (1994) 111–115] (273) 311
Geczy, J., see Liégeois, J.-F. (273) R1
Gessa, G.L., see Colombo, G. (273) 235
Ghazi-Khansari, M., see Zarrindast, M.-R. (273) 203
Gies, J.-P., see Lach, E. (273) 313
Gori, E., see Sala, M. (273) 35
Gramer, M., see Baran, H. (273) 197

Hansson, L.O., see Kujacic, M. (273) 247
Hashimoto, K. and London, E.D.
Interactions of *erythro*-ifenprodil, *threo*-ifenprodil, *erythro*-iodoifenprodil, and eliprodil with subtypes of σ receptors (273) 307
He, H., Bessho, H., Fujisawa, Y., Horiuchi, K., Tomohiro, A., Kita, T., Aki, Y., Kimura, S., Tamaki, T. and Abe, Y.
Effects of a synthetic rat adrenomedullin on regional hemodynamics in rats (273) 209

Herman, A.G., see Michielsen, P.P. (273) 167
Hill, R.G., see Seabrook, G.R. (273) 113
Horiuchi, K., see He, H. (273) 209
Hsu, M.-F., see Wang, J.-P. (273) 73
Huupponen, R., see Rouru, J. (273) 99

Inoue, M., see Ohkubo, T. (273) 83
Irie, K., see Fujii, E. (273) 267
Ishikawa, M., see Sakitama, K. (273) 47
Izumi, H., Takahashi, H. and Karita, K.
Pentylenetetrazole-induced parasympathetic blood flow increase in the lower lip of the cat (273) 299

Jerome, G.M., see Connor, J.R. (273) 15
Jhanwar-Uniyal, M., see Rouru, J. (273) 99

Kamei, H., Kameyama, T. and Nabeshima, T.
Activation of both dopamine D_1 and D_2 receptors necessary for amelioration of conditioned fear stress (273) 229
Kameyama, T., see Kamei, H. (273) 229
Karita, K., see Izumi, H. (273) 299
Kataoka, Y., Koizumi, S., Kohzuma, M., Shibaguchi, H., Shigematsu, K., Niwa, M. and Taniyama, K.
NMDA receptor involvement in endothelin neurotoxicity in rat striatal slices (273) 285
Kaya, H., see Ohkubo, T. (273) 83
Keana, J.F.W., see Lutfy, K. (273) 187
Killam, A.L., Watts, S.W. and Cohen, M.L.
Role of α_1-adrenoceptors and 5-HT_2 receptors in serotonin-induced contraction of rat prostate: autoradiographical and functional studies (273) 7
Kimura, S., see He, H. (273) 209
Kita, T., see He, H. (273) 209
Koch, T., see Sebens, J.B. (273) 175
Kohzuma, M., see Kataoka, Y. (273) 285
Koizumi, S., see Kataoka, Y. (273) 285
Konturek, S.J., Brzozowski, T., Pytko-Polonczyk, J. and Drozdowicz, D.
Exogenous and endogenous cholecystokinin protects gastric mucosa against the damage caused by ethanol in rats (273) 57
Korf, J., see Sebens, J.B. (273) 175
Koulu, M., see Rouru, J. (273) 99
Kujacic, M., Hansson, L.O. and Carlsson, A.
Acute dopaminergic influence on plasma adrenaline levels in the rat (273) 247
Kuo, J.-S., see Wang, J.-P. (273) 73
Kuo, S.-C., see Wang, J.-P. (273) 73
Kwon, I.-S., see Lutfy, K. (273) 187

Lach, E., Coy, D.H., Dumont, P., Landry, Y. and Gies, J.-P.
Erratum to 'Gastrin releasing peptide-preferring bombesin binding sites in human lung' [Eur. J. Pharmacol. 265 (1994) 117–120] (273) 313
Lampugnani, P., see Sala, M. (273) 35
Landry, Y., see Lach, E. (273) 313
Leone, M.P., see Sala, M. (273) 35
Levine, J.D., see Ouseph, A.K. (273) 107
Liégeois, J.-F., Bruhwyler, J., Damas, J., Rogister, F., Masereel, B., Geczy, J. and Delarge, J.
Modulation of the clozapine structure increases its selectivity for the dopamine D_4 receptor (273) R1
Lobina, C., see Colombo, G. (273) 235
London, E.D., see Hashimoto, K. (273) 307
Löscher, W., see Baran, H. (273) 197
Lutfy, K., Shen, K.-Z., Kwon, I.-S., Cai, S.X., Woodward, R.M., Keana, J.F.W. and Weber, E.
Blockade of morphine tolerance by ACEA-1328, a novel NMDA receptor/glycine site antagonist (273) 187

Mabayo, R.T., Furuse, M. and Okumura, J.-i.
Inhibition of food passage by omeprazole in the chicken (273) 161
Maggi, C.A., see Perretti, F. (273) 129
Makman, M.H., Dvorkin, B. and Stefano, G.B.
Murine macrophage cell lines contain μ_3-opiate receptors (273) R5
Manning, P.T., see Connor, J.R. (273) 15
Manzini, S., see Perretti, F. (273) 129
Masereel, B., see Liégeois, J.-F. (273) R1
Meldrum, B.S., see Smith, S.E. (273) 259
Méndez-Franco, J., see Tanganelli, S. (273) 63
Michielsen, P.P., Boeckxstaens, G.E., Sys, S.U., Herman, A.G. and Pelckmans, P.A.
Role of nitric oxide in hyporeactivity to noradrenaline of isolated aortic rings in portal hypertensive rats (273) 167
Mineo, A., see Cannizzaro, C. (273) 239
Mitchell, J.A., see Akarasereenont, P. (273) 121
Molnár, P. and Erdő, S.L.
Vinpocetine is as potent as phenytoin to block voltage-gated Na^+ channels in rat cortical neurons (273) 303
Moore, W.M., see Connor, J.R. (273) 15
Muraki, T., see Fujii, E. (273) 267

Nabeshima, T., see Kamei, H. (273) 229
Nakamura, K., see Sakitama, K. (273) 47
Napolitano, A., Zürcher, G. and Da Prada, M.
Effects of tolcapone, a novel catechol-*O*-methyltransferase inhibitor, on striatal metabolism of L-DOPA and dopamine in rats (273) 215
Nawrath, H., see Bäumner, D. (273) 295
Niwa, M., see Kataoka, Y. (273) 285
Noble, F., Blommaert, A., Fournié-Zaluski, M.-C. and Roques, B.P.
A selective CCK_B receptor antagonist potentiates μ-, but not δ-opioid receptor-mediated antinociception in the formalin test (273) 145

Ohba, K., see Fujii, E. (273) 267
Ohkubo, T., Shibata, M., Inoue, M., Kaya, H. and Takahashi, H.
Regulation of substance P release mediated via prejunctional histamine H_3 receptors (273) 83
Okumura, J.-i., see Mabayo, R.T. (273) 161
Ossowska, K. and Wolfarth, S.
Stimulation of glutamate receptors in the intermediate/caudal striatum induces contralateral turning (273) 89
Ouseph, A.K. and Levine, J.D.
α_1-Adrenoceptor-mediated sympathetically dependent mechanical hyperalgesia in the rat (273) 107
Ozawa, Y., see Sakitama, K. (273) 47

Parvez, N.S., see Smith, S.E. (273) 259
Pelckmans, P.A., see Michielsen, P.P. (273) 167
Pérez de la Mora, M., see Tanganelli, S. (273) 63
Perretti, F., Ballati, L., Manzini, S., Maggi, C.A. and Evangelista, S.
Antibronchospastic activity of MEN10,627, a novel tachykinin NK_2 receptor antagonist, in guinea-pig airways (273) 129
Pesonen, U., see Rouru, J. (273) 99
Pytko-Polonczyk, J., see Konturek, S.J. (273) 57

Rambert, F.A., see Tanganelli, S. (273) 63
Reali, R., see Colombo, G. (273) 235
Rezayat, M., see Zarrindast, M.-R. (273) 203
Rogister, F., see Liégeois, J.-F. (273) R1
Roques, B.P., see Noble, F. (273) 145

Rouru, J., Pesonen, U., Koulu, M., Huupponen, R., Santti, E., Virtanen, K., Rouvari, T. and Jhanwar-Uniyal, M.
Anorectic effect of metformin in obese Zucker rats: lack of evidence for the involvement of neuropeptide Y (273) 99
Rouvari, T., see Rouru, J. (273) 99

Sabatino, M., see Cannizzaro, C. (273) 239
Sajedian, M., see Zarrindast, M.-R. (273) 203
Sakitama, K., Ozawa, Y., Aoto, N., Nakamura, K. and Ishikawa, M.
Pharmacological properties of NK433, a new centrally acting muscle relaxant (273) 47
Sala, M., Leone, M.P., Lampugnani, P., Braida, D. and Gori, E.
Different kinetics of tolerance to behavioral and electroencephalographic effects of chlordiazepoxide in the rat (273) 35
Santti, E., see Rouru, J. (273) 99
Satake, N., see Zhou, Q. (273) 153
Schmidt, C.J. and Fadayel, G.M.
The selective 5-HT_{2A} receptor antagonist, MDL 100,907, increases dopamine efflux in the prefrontal cortex of the rat (273) 273
Schollmeyer, P., see Galle, J. (273) 311
Seabrook, G.R., Bowery, B.J. and Hill, R.G.
Pharmacology of tachykinin receptors on neurones in the ventral tegmental area of rat brain slices (273) 113
Sebens, J.B., Koch, T., Ter Horst, G.J. and Korf, J.
Differential Fos-protein induction in rat forebrain regions after acute and long-term haloperidol and clozapine treatment (273) 175
Settle, S.L., see Connor, J.R. (273) 15
Shen, K.-Z., see Lutfy, K. (273) 187
Shibaguchi, H., see Kataoka, Y. (273) 285
Shibata, M., see Ohkubo, T. (273) 83
Shibata, S., Tominaga, K. and Watanabe, S.
Glutathione protects against hypoxic/hypoglycemic decreases in 2-deoxyglucose uptake and presynaptic spikes in hippocampal slices (273) 191
Shibata, S., Yamamoto, Y., Tanaka, T. and Watanabe, S.
N^G-Nitro-L-arginine protects against hypoxia/hypoglycemia-induced decrease in CA1 presynaptic spikes in rat hippocampal slices (273) 223
Shibata, S., see Zhou, Q. (273) 153
Shigematsu, K., see Kataoka, Y. (273) 285
Skinner, S.J.M., see Young, P.G. (273) 137
Smith, I.C.H., see Amobi, N. (273) 25
Smith, S.E., Parvez, N.S., Chapman, A.G. and Meldrum, B.S.
The γ-aminobutyric acid uptake inhibitor, tiagabine, is anticonvulsant in two animal models of reflex epilepsy (273) 259
Stanton, P.K.
Phospholipase A_2 activation is not required for long-term synaptic depression (273) R7
Stefano, G.B., see Makman, M.H. (273) R5
Sys, S.U., see Michielsen, P.P. (273) 167
Tabuchi, Y. and Furuhama, K.
Protective effect of DS-4574, a peptidoleukotriene receptor antagonist, against endotoxin-induced intestinal injury in rats (273) 281
Takahashi, H., see Izumi, H. (273) 299
Takahashi, H., see Ohkubo, T. (273) 83
Tamaki, T., see He, H. (273) 209
Tanaka, T., see Shibata, S. (273) 223
Tanganelli, S., Pérez de la Mora, M., Ferraro, L., Méndez-Franco, J., Beani, L., Rambert, F.A. and Fuxe, K.
Modafinil and cortical γ-aminobutyric acid outflow. Modulation by 5-hydroxytryptamine neurotoxins (273) 63
Taniyama, K., see Kataoka, Y. (273) 285
Ter Horst, G.J., see Sebens, J.B. (273) 175
Thiemermann, C., see Akarasereenont, P. (273) 121
Tjoeng, F.S., see Connor, J.R. (273) 15
Tominaga, K., see Shibata, S. (273) 191
Tomohiro, A., see He, H. (273) 209

Uchida, Y., see Fujii, E. (273) 267
Ugolini, A., see Bordi, F. (273) 291

Vane, J.R., see Akarasereenont, P. (273) 121
Virtanen, K., see Rouru, J. (273) 99

Wang, J.-P., Hsu, M.-F., Chang, L.-C., Kuo, J.-S. and Kuo, S.-C.
Inhibition of plasma extravasation by abruquinone A, a natural isoflavanquinone isolated from *Abrus precatorius* (273) 73
Wanner, C., see Galle, J. (273) 311
Watanabe, S., see Shibata, S. (273) 191
Watanabe, S., see Shibata, S. (273) 223
Watts, S.W., see Killam, A.L. (273) 7
Webber, R.K., see Connor, J.R. (273) 15
Weber, E., see Lutfy, K. (273) 187
Wolfarth, S., see Ossowska, K. (273) 89
Woodward, R.M., see Lutfy, K. (273) 187

Yamamoto, Y., see Shibata, S. (273) 223
Young, P.G., Skinner, S.J.M. and Black, P.N.
Effects of glucocorticoids and β-adrenoceptor agonists on the proliferation of airway smooth muscle (273) 137

Zarrindast, M.-R., Sajedian, M., Rezayat, M. and Ghazi-Khansari, M.
Effects of 5-HT receptor antagonists on morphine-induced tolerance in mice (273) 203
Zhou, Q., Satake, N. and Shibata, S.
The inhibitory mechanisms of nicorandil in isolated rat urinary bladder and femoral artery (273) 153
Zürcher, G., see Napolitano, A. (273) 215